

#### KINGS CANYON SLAT PANELS

www.parkettkaiser.de

### PANELS. WALL WITH DEPTH

slat panels g ve the interior a un que character. They can play the role of the main decoration, the quiet hero in the background or help to designate different zones in the interior.

The final effect depends on which of the three available lines will be chosen. We offer lines S, M and L, which differ in the width and depth of the slats and in colours.



#### **KEY FEATURES**



#### EASY INSTALLATION

The installation is quick and easy. Panels are installed with adhesive and can be easily cut to the desired size using a saw or jigsaw.



#### LOW WEIGHT

panels are made of polystyrene. This makes them light, which means that the transport and mounting of the product are very easy.



#### IMPROVE Soundproofing

Thanks to the material they are made of and their spatial structure, the panels soundproof the interior and eliminate reverberation and echo in large rooms.



EASY TO KEEP

Can be cleaned

cloth and mild

detergent.

easily with a damp

CLEAN

#### RECYCLABLE

panels are made of fully recyclable material.

### **AVAILABLE SHAPES**









Medium-M

Strong-S

#### Fine-F







#### Medium-M



#### Medium-M







#### Strong-S






Left trim

# FINISHING TRIMS

For each of the panel types, you can choose the right and left trims, while the universal trim will allow you to finish the top and bottom of the wall. Trims are available in the colours of panels.



#### COLOURS

LIGHT BROWN COFFEE BROWN DARK BROWN



### FINISHING TRIMS

#### UNIVERSAL TRIM U

2650x25x12

#### COLOURS


LIGHT BROWN COFFEE BROWN DARK BROWN






# PRACTICAL MATERIAL

panels owe their unique properties to the material from which they are made. To manufacture the panels, we use polystyrene covered with a print made by hot-stamping. Polystyrene is a modern material that is 100% recyclable. It is lightweight, durable, and easy to clean. This means that can be installed even in more demanding areas, such as the hallway, work area, or the kitchen.



# **TECHNICAL DETAILS**

– Panel length 265 cm




 $\xrightarrow{122} \xrightarrow{122} \xrightarrow{122} \xrightarrow{122}$ 


Strong-S


#### **INSTALLATION ADVANTAGES**


- Quick installation easy cut using a saw or jigsaw
- Choice of mounting options vertically, horizontally, diagonally.
- Does not require additional substrate preparation work (e.g. priming) as well as protecting the top layer (e.g. grouting)
- Clean installation, no dust
- Immediate 3D effect on the wall after installation the rooms can be used immediately

### **INSTALLATION OPTIONS**












Horizontally

Diagonally

Paneling (bottom part of the wall)

# INSTALLATION

1. Cutting



# INSTALLATION

4. Use of universal trims.

5. External corner

